

VOYGAR Outdoor Horizontal type, 2 In, 2 Out Optical Fibre Splice Closure, Maximum capacity 24Cores.

Ref. HSC65024



Product Description

V765 has 4 fibre cables in-out round ports. It can be used in wall-mounting and aerial-hanged. This product is made of ABS plastic and with the mechanical sealing structure filled with the sealing material. The external component and fastening piece are all made of high quality steel. It can be opened after sealing and can be reused without changing sealing material.

Application

Aerial-hanging
Wall-mounting



Product Specifications

Dimension(mm)	424x175.8x106
Weight(Kg)	About 2.6
Cable Diameter (mm)	Φ7mm~Φ18mm
Cable Entry Ports	2 in 2out
Max Capacity Of Fiber Splice	12 (single core)
Max Capacity Of Splice Tray	2
Max Capacity	60 (single core); 120 (double layers)

Sealing Structure	Sticky cincture or Silicon Gum Material
--------------------------	---

Splice Tray Specification

There are 4 fiber optic cable access holes for the splice tray, which meet the requirements of all angles to enter the fiber. The splice tray is injection molded with high-strength engineering plastics. Characteristics: flame retardant, high strength and anti-aging .There are 12 heat-shrinkable tube card slots. When each card slot card has 2 heat-shrinkable tubes, it can be welded to the maximum of 24 cores. It also can be accommodated 20% additional splice tray in future. The bending radius of the fiber is more than 30mm.



172.2mm (Width) ×12.7mm (Height) ×113.5mm (Depth)

Type	Size(mm, Width*Height*Depth)	Net Weight(KG)	Remark
Splice Tray 1	172.2*13*113.5	85g	Black

Splice Tray 2	172.2*13*113.5	85g	White
----------------------	----------------	-----	-------

Accessories

Accessories	Type	Unit	Quantity
Round head screw	M4*35/iron/bright chrome	PCs	8
Round head screw	M4*6/iron/bright chrome	PCs	2
Hex nuts	M4/iron/bright chrome	PCs	1
Label A	5/ blue on white	PCs	1
Self-adhesive tape	15mm *2mm *950nm / black	PCs	48
Fiber heat shrinkable sleeve	60mm *3.0*1.5	PCs	4
Nylon cable tie	3mm *120/white	PCs	1
Allen key	S6/black	PCs	2
Round head screw	M4*25/iron/bright chrome	PCs	2
PE Ziplock Pocket	12CM*17CM	PCs	1

Install tools preparation

Cross-shapes Screwdriver
 Minus Screwdriver
 Pliers
 Stripper

Display the products & tools

Serial Assemblies
 Self-prepared Installation Tools



Standards

RoHS 2011/65/EU, NO: BCTC-14099125
 ISO 9001:2015, NO: CN17/31240

Certificates

ISO9001

FCC
ROHS
CE